

















TURNING TOOLHOLDERS

with internal coolant




(D) DIMPLE LOCK TOOLHOLDERS

Roughing	Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing	Medium	Medium	Medium
Flat  (12-16)	MF  (12)	SF  (12)	LC  (12)	MS  (12)	GS  (12)	MR  (12-16)	PM  (12)
Medium	Medium Wiper	Roughing to Medium	Roughing to Medium	Roughing	Roughing	Roughing	
ST  (12-16)	MW  (12)	SS  (12-16)	MA  (16)	HR  (12-16)	RP  (16)	GR  (16)	



Axial: -6,5°
Radial: -6,5°



Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212428600	212428700	DCLN R/L 2020 K12-A	20	20	125	34	25	CN.. 1204..	0,400	○	○
212428800	212428900	DCLN R/L 2525 M12-A	25	25	150	34	32	CN.. 1204..	0,750	○	○
212429000	212429100	DCLN R/L 3232 P12-A	32	32	170	34	40	CN.. 1204..	1,300	○	○
212429200	212429300	DCLN R/L 3232 P16-A	32	32	170	42	40	CN.. 1606..	1,250	○	○

















⊗ Stock Items | Itens de stock



○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Spring	Clamp	Clamp Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
DCLN R/L 2020 K12-A									
DCLN R/L 2525 M12-A	CC120600	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DCLN R/L 3232 P12-A	CC120600	T06010000	M09513	GA07002	D0602900	SS40	-	H1000875	-
DCLN R/L 3232 P16-A	CC160501	T0601575	M09513	GA07004	D0602900	SS40	-	H1000875	-

(D) DIMPLE LOCK TOOLHOLDERS

Roughing	Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing	Medium	Medium
Flat	MF	SF	LC	MS	GS	MR	PM
 (11-15)	 (11-15)	 (11-15)	 (15)	 (15)	 (11-15)	 (11-15)	 (15)
Medium	Medium Wiper	Roughing to Medium	Roughing	Roughing	Medium to Finishing	Medium	Roughing to Medium
ST	MW	SS	HR	RP	O2	O3	O1
 (11-15)	 (15)	 (11-15)	 (15)	 (15)	 (15)	 (15)	 (15)



Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212429400	212429500	DDJN R/L 2020 K11-A	20	20	125	34	25	DN.. 1104..	0,400	○	○
212429600	212429700	DDJN R/L 2020 K15-A	20	20	125	42	25	DN.. 1506..	0,400	⊗	⊗
212429800	212429900	DDJN R/L 2525 M15-A	25	25	150	42	32	DN.. 1506..	0,750	⊗	⊗
212430000	212430100	DDJN R/L 3232 P15-A	32	32	170	42	40	DN.. 1506..	1,300	⊗	⊗

⊗ Stock Items | Itens de stock



○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Spring	Clamp	Clamp Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
DDJN R/L 2020 K11-A									
DDJN R/L 2020 K15-A	CD150501	T05008000	M06511	GA05001	D0500801	SS40	H0600475	H1000875	T1000875
DDJN R/L 2020 K15-A	CD110302	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DDJN R/L 2525 M15-A	CD110302	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DDJN R/L 3232 P15-A	CD110302	T06010000	M09513	GA07002	D0602900	SS40	-	H1000875	-

(D) DIMPLE LOCK TOOLHOLDERS

Roughing	Finishing	Medium to Finishing	Medium to Finishing	Medium	Medium
Flat MF (12-19)	MF (12)	SF (12)	GS (12)	MR (12-19)	PM (12)
Medium	Roughing to Medium	Roughing	Roughing	Heavy to Roughing	Heavy to Roughing
ST (12-19)	SS (12-19)	HR (12-19)	RP (19)	HY (19)	HZ (19)



Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212430200	212430300	DSSN R/L 2020 K12-A	20	20	125	28	25	SN..1204..	0,400	○	○
212430400	212430500	DSSN R/L 2525 M12-A	20	20	150	28	32	SN..1204..	0,750	○	○
212430600	212430700	DSSN R/L 3232 P19-A	32	32	170	38	40	SN..1906..	1,300	○	○














⊗ Stock Items | Itens de stock



○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Spring	Clamp	Clamp Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
DSSN R/L 2020 K12-A	CS120600	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DSSN R/L 2525 M12-A	CS120600	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DSSN R/L 3232 P19-A	CS190501	T06015000	M09513	GA07003	D0602900	SS40	-	H1000875	-

(D) DIMPLE LOCK TOOLHOLDERS

Roughing	Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing	Medium
Flat  (16)	MF  (16)	SF  (16)	LC  (16)	MS  (16)	GS  (16)	MR  (16)
Medium	Medium	Medium Wiper	Roughing to Medium	Roughing	Medium to Finishing	
PM  (16)	ST  (16)	MW  (16)	SS  (16)	HR  (16)	O1  (16)	



Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212430800	212430900	DTJN R/L 2020 K16-A	20	20	125	32	25	TN.. 1604..	0,400	○	○
212431000	212431100	DTJN R/L 2525 M16-A	20	20	150	32	32	TN.. 1604..	0,700	○	○











Ⓢ Stock Items | Itens de stock



○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Spring	Clamp	Clamp Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
DTJN R/L 2020 K16-A									
DTJN R/L 2525 M16-A	CT160600	T05008000	M06511	GA05001	D0500801	SS40	H0600475	H1000875	T1000875

(D) DIMPLE LOCK TOOLHOLDERS

Roughing	Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing
Flat	MF	SF	LC	MS
 (16)	 (16)	 (16)	 (16)	 (16)
Medium to Finishing	Medium	Medium	Medium	Roughing to Medium
GS	MR	PM	ST	SS
 (16)	 (16)	 (16)	 (16)	 (16)



Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212432000	212432100	DVJN R/L 2020 K16-A	20	20	125	34	25	VN..1604..	0,400	○	○
212432200	212432300	DVJN R/L 2525 M16-A	25	25	150	34	32	VN..1604..	0,700	○	○
212432400	212432500	DVJN R/L 3232 P16-A	32	32	170	34	40	VN..1604..	1,250	○	○













⊗ Stock Items | Itens de stock


○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos


Cutter Reference	Shim	Shim Screw	Spring	Clamp	Clamp Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
DVJN R/L 2020 K16-A									
DVJN R/L 2525 M16-A	CV160301	T05008000	M06511	GA05001	D0500801	SS40	H0600475	H1000875	T1000875
DVJN R/L 3232 P16-A	CV160301	T05008000	M06511	GA05001	D0500801	SS40	-	H1000875	-

(D) DIMPLE LOCK TOOLHOLDERS

Roughing	Finishing	Medium to Finishing	Medium to Finishing	Medium to Finishing	Medium
Flat  (06-08)	MF  (06-08)	SF  (06-08)	LC  (08)	MS  (06-08)	GS  (06-08)
Medium	Medium	Medium	Medium Wiper	Roughing to Medium	Roughing
MR  (06-08)	PM  (06-08)	ST  (08)	MW  (06-08)	SS  (06-08)	HR  (08)



Axial: -6°
Radial: -6°







Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212431200	212431300	DWLN R/L 2020 K06-A	20	20	125	32	25	WN.. 0604..	0,400	<input type="radio"/>	<input type="radio"/>
212431400	212431500	DWLN R/L 2020 K08-A	20	20	125	32	25	WN.. 0804..	0,400	<input type="radio"/>	<input type="radio"/>
212431600	212431700	DWLN R/L 2525 M08-A	25	25	150	32	32	WN.. 0804..	0,700	<input type="radio"/>	<input type="radio"/>
212431800	212431900	DWLN R/L 3232 P08-A	32	32	170	32	38	WN.. 0804..	1,250	<input type="radio"/>	<input type="radio"/>





Stock Items | Itens de stock


Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Spring	Clamp	Clamp Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
DWLN R/L 2020 K06-A									
DWLN R/L 2020 K08-A	CW060302	T05008000	M06511	GA05001	D0500801	SS40	H0600475	H1000875	T1000875
DWLN R/L 2020 K08-A	CW080500	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DWLN R/L 2525 M08-A	CW080500	T06010000	M09513	GA07002	D0602900	SS40	H0600475	H1000875	T1000875
DWLN R/L 3232 P08-A	CW080500	T06010000	M09513	GA07002	D0602900	SS40	-	H1000875	-

(S) CENTER SCREW TOOLHOLDERS

Finishing	Finishing	Finishing	Finishing	Finishing	Finishing Wiper	Medium to Finishing
Flat  (09)	FP  (09)	BO  (09)	FM  (09)	FK  (09)	FW  (09)	LM  (09)
Medium	Medium	Medium	Medium to Finishing Wiper	Finishing to Fine Finishing	Medium to Finishing	
MP  (09)	MM  (09)	MK  (09)	MW  (09)	FS  (09)	LN  (09)	













Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212471300	212471200	SCLC R/L 2020 K09-A	20	20	125	22	25	CC.. 09T3..	0,400	○	○
212471400	212471100	SCLC R/L 2525 M09-A	25	25	125	28	32	CC.. 09T3..	0,750	○	○













⊗ Stock Items | Itens de stock



○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
SCLC R/L 2020 K09-A	 P0401100	 XT15-S35	 H0600475	 H1000875	 T1000875
SCLC R/L 2525 M09-A	 P0401100	 XT15-S35	 H0600475	 H1000875	 T1000875

(S) CENTER SCREW TOOLHOLDERS

Finishing	Finishing	Finishing	Finishing	Finishing Wiper	Medium to Finishing
Flat	FP	FM	FK	FW	LM
 (11)	 (11)	 (11)	 (11)	 (11)	 (11)
Medium	Medium	Medium	Medium to Finishing Wiper	Finishing to Fine Finishing	Medium to Finishing
MP	MM	MK	MW	FS	LN
 (11)	 (11)	 (11)	 (11)	 (11)	 (11)










Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212471700	212471500	SDJC R/L 2020 K11-A	20	20	125	22	25	DC.. 11T3..	0,400	<input type="radio"/>	<input type="radio"/>
212471800	212471600	SDJC R/L 2525 M11-A	25	25	150	28	32	DC.. 11T3..	0,750	<input type="radio"/>	<input type="radio"/>









⊗ Stock Items | Itens de stock



○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
SDJC R/L 2020 K11-A							
SDJC R/L 2020 K11-A	CD110301	T05003500	P0351500	XT15-S35	H0600475	H1000875	T1000875
SDJC R/L 2525 M11-A	CD110301	T05003500	P0351500	XT15-S35	H0600475	H1000875	T1000875

(S) CENTER SCREW TOOLHOLDERS

Finishing	Finishing	Finishing	Finishing
Flat	FP	FM	FK
			
(16)	(16)	(16)	(16)
Medium	Medium	Medium	Medium to Finishing
MP	MM	MK	LN
			
(16)	(16)	(16)	(16)










Order Code		Reference	Dimensions (mm)					Insert	Kg	Stock	
R	L		H=h	b	L1	L2	S			R	L
212472100	212471900	SVJC R/L 2020 K11-A	20	20	125	34	25	VC..1604..	0,400	○	○
212472200	212472000	SVJC R/L 2525 M16-A	25	25	150	34	32	VC..1604..	0,700	○	○

⊗ Stock Items | Itens de stock


○ Available under request | Disponível sob consulta | Disponible bajo consulta

SPARE PARTS || Complementos | Repuestos

Cutter Reference	Shim	Shim Screw	Screw	Wrench	Cooling Screw 1	Cooling Screw 2	Cooling Screw 3
SVJC R/L 2020 K11-A							
SVJC R/L 2020 K11-A	-	-	P0250700	XT07	H0600475	H1000875	T1000875
SVJC R/L 2525 M16-A	CV160300	T05003500	P0351500	XT15-35	H0600475	H1000875	T1000875

ANYTIME, ANYWHERE

Online ordering available 24-hour per day and shipments around the globe.



CLIENTS.PALBIT.PT



NEW

TURNING HOLDERS with internal coolant

HEADQUARTERS

PALBIT, S.A.

P.O.Box 4 - Palhal

3854-908 - Branca ALB - Portugal

T (+351) 234 540 300 | F (+351) 234 540 301

palbit@palbit.pt

www.palbit.pt

Branch office:

PALBIT México

Emerson 150. Int.803-804. Colonia Chapultepec

Morales Delagación Miguel Hidalgo

C.P. 11570 México DF

T (+52) 5555 454 543 | F (+52) 5552 509 190

info@palbit.com.mx | www.palbit.com.mx

